

:
:
: 85/2018

μ μ -
: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

| | μ. | | 1501- + | (17/07-09-2016) | |
|-------------|----|---|---------------|------------------|-------------|
| μ | | | | | |
| 9302.1 | 01 | | | | |
| 9305.10 | 02 | DN160 μ μ μ μ μ | 08-01-03-02 * | μ | 08-01-03-02 |
| 20.02 | 03 | μ - μ | 02-03-00-00 | | |
| 22.35 | 04 | 1,00m, μ μ μ | | | |
| 22.35.1.11 | 05 | μ 15 . | | | |
| 08 | 06 | μ | 02-07-05-00 | | |
| 05.01 | 07 | | 02-07-05-00 | | |
| 13.1 | 08 | μ | 10-05-02-01 | | |
| 20.01.01 | 09 | μ μ μ μ μ 0,25 m | 02-01-01-00 | | |
| 20.01.02 | 10 | μ μ μ μ 0,26 - 0,40 m | 02-01-01-00 | | |
| 8773.5.5 | 11 | NY Y 4x10 mm2 μ | | | |
| 9340.3 | 12 | μ μ 25mm2 | | | |
| 12.36.01.06 | 13 | (HDPE), μ μ 50086, >=450 DN/OD 110 mm | | | |
| 9305.20 | 14 | μ μ μ 12613 | 05-07-01-00 * | μ μ | 05-07-01-00 |
| 9335.2 | 15 | 2 | | | |
| 8774.3.1 | 16 | NY Y 3x1,5 mm2 μ | | | |
| 8732.10.3 | 17 | μ μ μ μ μ 16mm | | | |
| 32.05.04 | 18 | μ μ μ C16/20 | | | |

| | μ. | | 1501- + | (17/07-09-2016) | |
|-------------|----|--|---------------|------------------|-------------|
| μ | | | | | |
| 32.25.03 | 19 | μ μ μ , 30,00m3 C16/20 | | | |
| 8066.10.2 | 20 | 40x40 μ , | | | |
| 11.01.03.22 | 21 | μμ 400x400mm, C250 , μμ 124 | | | |
| 11.01.03.21 | 22 | μμ 300x300mm, C250 , μμ 124 | | | |
| 04.2.2 | 23 | μ μ 4 μ 8 m | 10-06-04-01 * | μ | 10-06-04-01 |
| 9313.10 | 24 | 12μ. | | | |
| 9313.1 | 25 | 1,5 μ 1,00 1,00 m, | | | |
| 9318.9 | 26 | μ ISO-MEDIUM () 269/DIN2440, μ 4" | 04-20-01-01 | | |
| 8916.1.11 | 27 | μ μ 20 | | | |
| 8732.1.20.2 | 28 | 150x60 , μ , μ , | 04-20-01-03 | | |
| 8036.20.2 | 29 | | | | |
| 77.69 | 30 | μ μ | | | |
| 9313.20 | 31 | 12μ. μ | | | |
| 9375.3 | 32 | 400W μ μ μ | 04-20-02-01 | | |
| μ | | | | | |
| 1502 | | μ μ 250 | | | |
| 3213 | | μ 160 300 kg μ , 0,7 2,5 3 cm | | | |
| 3871 | | μ μ STI | | | |
| 8042.1.8 | | 4 atm μ 110 mm P.V.C. | | | |
| 9302.2 | | μ | | | |
| 38.20.03 | | μ μ , μ μ B500C | 01-02-01-00 * | μ μ | 01-02-01-00 |

